| Desires Harris                               | BI/A          | N          | NI- | 0                                       |
|--|---------------|------------|-----|---|
| Review Items                                 | N/A           | Yes        | No  | Comments                                |
| A. Documentation Enclosed                    |               |            |     |   |
| Drug Receipt Present                         |               |            |     |   |
| Control Card Present                         | ļ             |            |     |   |
| Copy of Daily Balance Sheet Present          |               |            |     |   |
| Copy of Daily Negative Control Sheet Present |               |            |     |   |
| Drug Analysis Form Present                   |               |            |     |   |
| Copy of MS Tracking Log Present              |               |            |     |   |
| Copy of MS Sequence Set-up Log Present       |               |            |     |   |
| Copy of Tune Report Present                  |               |            |     |   |
| Raw Data Present                             |               |            |     |   |
| Cerificate of Analysis Present               |               |            |     |   |
|  | ************* | ********** |     | *************************************** |
| B. Preliminary Test                          |               |            |     |   |
| Daily Balance Check Accepted                 |               |            |     |   |
| Negative Control Check Accepted              |               |            |     |   |
| Color Test Performed & Accepted              |               |            |     |   |
| Microcyrstalline Test Performed & Accepted   |               |            |     |   |
| Verify Sampling Technique                    |               |            |     |   |
| Verify Math Calculations                     |               |            |     |   |
| Net Weight Documented                        |               |            |     |   |
| UV-Vis Test Performed & Accepted             |               |            |     |   |
| GC # Test Perfromed & Accepted               |               |            |     |   |
| HPLC Test Performed & Accepted               |               |            |     |   |
| Macroscopic Test Performed & Accepted        |               |            |     |   |
| Microscopic Test Performed & Accepted        |               |            |     |   |
| Micromedex Match Accpeted                    |               |            |     |   |
| Literary Search Match Accepted               |               |            |     |   |
|  |               |            |     |   |
| C. Confirmatory Test                         |               |            |     |   |
| Instrument                                   |               |            |     |   |
| GC/MS #                                      |               |            |     |   |
| Copy of Tune Performed & Accepted            |               |            |     |   |
| QC Mix Present & Accepted                    |               |            |     |   |
| MS Sequence Log Accepted                     |               |            |     |   |
| Opening Standard/s Present & Accepted        |               |            |     |   |
| Closing Standard/s Present & Accepted        |               |            |     |   |
| Negative Control/s Present & Accepted        |               |            |     |   |
| MS Tracking Log Accepted                     |               |            |     |   |
| Negative Control/s Present & Accepted        |               |            |     |   |
| Retention Time Acceptance: +/-1.5%           |               |            |     |   |
| Library Search > 90%                         |               |            |     |   |
| Spectral Interpretation Match Accepted       |               |            |     |   |
| LC/MS/MS #                                   |               |            |     |   |
| Copy of Tune Performed & Accepted            |               |            |     |   |
| QC Mix Present & Accepted                    |               |            |     |   |
| MS Sequence Log Accepted                     |               |            |     |   |
| Opening Standard/s Present & Accepted        |               |            |     |   |
| Closing Standard/s Present & Accepted        |               |            |     |   |
| Negative Control/s Present & Accepted        |               |            |     |   |
| MS Tracking Log Accepted                     |               |            |     |   |
| Negative Control/s Present & Accepted        |               |            |     |   |
| Retention Time Acceptance: +/-1.5%           |               |            |     |   |
|  | 1             |            |     | l                                       |

| Library Search > 90%                    |     |     |    |          |
|---|-----|-----|----|----------|
| Spectral Interpretation Match Accpeted  |     |     |    |          |
| Review Items                            | N/A | Yes | No | Comments |
| IR #                                    |     |     |    |          |
| Internal Polystyrene Present & Accepted |     |     |    |          |
| QC Present & Accepted                   |     |     |    |          |
| Negative Control/s Present & Accepted   |     |     |    |          |
| Library Search Accepted                 |     |     |    |          |
| Spectral Interpretation Match Accepted  |     |     |    |          |
| D. Reporting/                           |     |     |    |          |
| Drug Receipt Completed                  |     |     |    |          |
| Control Card Completed                  |     |     |    |          |
| Certificate of Analysis Completed       |     |     |    |          |
| Evidence Envelop Completed              |     |     |    |          |
| Evidence Packaging Conpleted            |     |     |    |          |

| identification of Substance: | <br><u> </u> |  |
|------------------------------|--------------|--|
| Reviewer Signature:          | <br>Date:    |  |

|                                       |       |    | / , | / , | / ,                                     | / ,  | / ,  | /         |
|---------------------------------------|-------|----|-----|-----|---|--|--|-----------|
|                                       |       |    | /   |     | /                                       |  |  | all       |
|                                       | MI    | 16 | No  |     | caine He                                | roin Ry  | /32  | rijuanali |
| Review Items A. Documentation         | / W.  |    | N   |     | <u> </u>                                | / W  | , W  |           |
|                                       |       |    |     |     |   |  |  |           |
| Drug Receipt                          |       |    |     |     |   |  |  |           |
| Control card                          |       |    |     |     |   |  |  |           |
| Envelope                              |       |    |     |     |   |  |  |           |
| B. Preliminary Test                   |       |    |     |     |   |  |  |           |
| Balance Check                         | ••••• |    |     |     | *************************************** |  |  |           |
| Negative Control Check                |       |    |     |     |   |  |  |           |
| Color Test Results                    |       |    |     |     |   |  |  |           |
| Crystals                              |       |    |     |     |   |  |  |           |
| UV-Vis                                |       |    |     |     |   |  |  |           |
| GC #                                  |       |    |     |     |   |  |  |           |
| HPLC                                  |       |    |     |     |   |  |  |           |
| Macroscopic                           |       |    |     |     |   |  |  |           |
| Microscopic                           |       |    |     |     |   |  |  |           |
| Micromedex Match                      |       |    |     |     |   |  |  |           |
| Literary Search Match                 |       |    |     |     |   |  |  |           |
| Calculations                          |       |    |     |     |   |  |  |           |
| Net Weight                            |       |    |     |     |   |  |  |           |
|                                       |       |    |     |     |   |  |  |           |
| C. Confirmatory Test                  |       |    |     |     |   |  |  |           |
| Instrument                            |       |    |     |     |   |  |  |           |
| GC/MS #                               |       |    |     |     |   |  |  |           |
| Tune Present & Accepted               |       |    |     |     |   |  |  |           |
| QC Mix Present & Accepted             |       |    |     |     |   |  |  |           |
| Sequence Setup                        |       |    |     |     |   |  |  |           |
| Opening Standard/s Present & Accepted |       |    |     |     |   |  |  |           |
| Closing Standard/s Present & Accepted |       |    |     |     |   |  |  |           |
| Blank/s                               |       |    |     |     |   |  |  |           |
| MS Control Sheet Present              |       |    |     |     |   |  |  |           |
| Blank/s                               |       |    |     |     |   |  |  |           |
| Retention Time Acceptance             |       |    |     |     |   |  |  |           |
| Library Search > 90%                  |       |    |     |     |   |  |  |           |
| Spectral Interpretation Match         |       |    |     |     |   |  |  |           |
| LC/MS/MS#                             |       |    |     |     |   |  |  |           |
| Tune Present & Accepted               |       |    |     |     |   |  |  |           |
| QC Mix Present & Accepted             |       |    |     |     |   |  |  |           |
| Sequence Setup                        |       |    |     |     |   |  |  |           |
| Opening Standard/s Present & Accepted |       |    |     |     |   |  |  |           |
| Closing Standard/s Present & Accepted |       |    |     |     |   |  |  |           |
| Blank/s                               |       |    |     |     |   |  |  |           |
| MS Control Sheet Present              |       |    |     |     |   |  |  |           |
|                                       |       |    |     |     |   | <del>                                     </del> | <del>                                     </del> |           |
|                                       |       |    |     |     |   |  | 1  |           |
| Blank/s<br>Retention Time Acceptance  |       |    |     |     |   |  |  |           |

| Spectral Interpretation Match           |  |  |  |  |
|---|--|--|--|--|
| IR #                                    |  |  |  |  |
| Internal Polystyrene Present & Accepted |  |  |  |  |
| QC Present & Accepted                   |  |  |  |  |
| Blank/s                                 |  |  |  |  |
| Library Search                          |  |  |  |  |
| Spectral Interpretation Match           |  |  |  |  |
|   |  |  |  |  |
| D. Reporting                            |  |  |  |  |
| Control Card                            |  |  |  |  |
| Certificate of Analysis                 |  |  |  |  |

| dentification of Substance: |
|-----------------------------|
|                             |

|                                       |   |   |  |  |  | _             | _  | _                                       |   |   |  |
|---------------------------------------|---|---|--|--|--|---------------|--|---|---|---|--|
|                                       |   |   | $\overline{}$                                    | $\overline{}$                                    | $\overline{}$                                    | $\overline{}$ | $\overline{}$                                    | $\overline{}$                           | $\overline{}$                           | annabis<br>eroids                       | $\overline{}$                                    |
|                                       |   |   |  |  |  |               |  | lucinoge<br>Ma                          | NS /                                    | annal                                   |  |
|                                       |   | / ,                                     | / ,  | / ,  | piates Sti                                       | mulants       | pressant   | cinogle                                 | Manal                                   | ids /                                   | ialants<br>0                                     |
| Review Items                          | N                                       | A 10                                    | S NO   | · /o\  | piate Sti  | mur De        | bles HS  | IIIC. MS                                | riju                                    | erole int                               | lalants  |
| A. Documentation                      |   | <b>.</b>                                | <b></b>  | (  | <b></b>  | <b></b>       | ••••••••••••••••••••••••••••••••••••••           | •••••                                   |   | <b></b>                                 | <b></b>  |
| Drug Receipt                          |   | <u> </u>                                | *************                                    |  | ***************************************          | ************* |  | *************                           | ************                            | 400000000000000000000000000000000000000 |  |
| Control card                          |   | +                                       | -  |  |  |               |  |   |   | +                                       |  |
| Envelope                              |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| Litvelope                             |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| B. Preliminary Test                   |   |   |  |  |  |               |  |   |   |   |  |
| Balance Check                         |   |   |  |  | 1  |               |  |   |   | *************************************** | *************                                    |
| Negative Control Check                |   | +                                       |  |  |  |               |  |   |   |   |  |
| Color Test Results                    |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| Crystals                              |   |   |  |  |  |               |  |   |   |   |  |
| UV-Vis                                |   | +                                       | <del>                                     </del> | <del>                                     </del> | <del>                                     </del> |               | <del>                                     </del> |   |   |   |  |
| GC #                                  |   | +                                       |  |  | +  |               |  |   |   | +                                       | 1  |
| HPLC                                  |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| Macroscopic                           |   | +                                       |  |  | +  |               |  |   |   | +                                       |  |
| Microscopic                           |   | +                                       | +  |  | +  | 1             |  |   |   | +                                       | <del>                                     </del> |
| Microscopic  Micromedex Match         |   | +                                       | +  | <del>                                     </del> | +  |               |  | <u> </u>                                |   | +                                       |  |
| Literary Search Match                 |   | +                                       | +  |  | 1  |               |  |   |   | +                                       |  |
| Calculations                          |   | +                                       | +  | -  | +  |               |  |   | -                                       | +                                       |  |
| Net Weight                            |   | +                                       | +  | -  | +  |               |  |   | -                                       | +                                       | -  |
| ver vveigni                           |   | +                                       | -  |  | +  |               |  |   |   | +                                       |  |
| C. Confirmatory Test                  |   |   |  |  |  |               |  |   |   |   |  |
| Instrument                            |   |   |  |  |  |               |  |   |   |   |  |
| GC/MS #                               |   | •                                       |  |  |  |               |  |   |   |   |  |
| Tune Present & Accepted               | 000000000000000000000000000000000000000 | <u> </u>                                | ***************************************          | ***************************************          |  |               |  | *************************************** |   | *************************************** |  |
| QC Mix Present & Accepted             |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| Sequence Setup                        |   | +                                       |  |  |  |               |  |   |   | +                                       |  |
| Opening Standard/s Present & Accepted |   | +                                       |  |  |  |               |  |   |   |   |  |
| Closing Standard/s Present & Accepted |   | _                                       |  |  |  |               |  |   |   |   |  |
| Blank/s                               |   | _                                       |  |  |  |               |  |   |   |   |  |
| MS Control Sheet Present              |   | _                                       |  |  |  |               |  |   |   |   |  |
| Blank/s                               |   | +                                       |  |  |  |               |  |   |   |   |  |
| Retention Time Acceptance             |   | +                                       | <del>                                     </del> |  | <del> </del>                                     |               |  |   |   | +                                       |  |
| Library Search > 90%                  |   | +                                       | _  |  |  |               |  |   |   | +                                       |  |
| Spectral Interpretation Match         |   | +                                       | <u> </u>   |  | <del>                                     </del> |               |  |   |   | +                                       |  |
| LC/MS/MS #                            |   |   |  |  |  |               |  |   |   |   |  |
| Tune Present & Accepted               |   | *************************************** | ***************************************          |  | ***************************************          |               | ***************************************          | 300000000000000000000000000000000000000 | *************************************** |   |  |
| QC Mix Present & Accepted             |   | +                                       | 1  |  | +  |               |  |   |   | +                                       |  |
| Sequence Setup                        |   | +                                       | +  | <del>                                     </del> | +  |               |  | <u> </u>                                |   | +                                       |  |
| Opening Standard/s Present & Accepted |   | +                                       | +  | <del>                                     </del> | +  |               |  |   |   | +                                       |  |
| Closing Standard/s Present & Accepted |   | +                                       | +  | -  | +  |               |  |   |   | +                                       |  |
|                                       |   | +                                       | _  |  | <del>                                     </del> |               |  |   |   | +                                       |  |
| Blank/s                               |   | +                                       | -  |  | 1  |               |  |   | -                                       | +                                       |  |
| MS Control Sheet Present              |   | +                                       | -  |  | -  |               |  | -                                       |   |   | -  |
| Blank/s                               |   | <del> </del>                            | 1  |  | 1  | <b> </b>      |  | -                                       |   |   |  |
| Retention Time Acceptance             |   | <del></del>                             | 1  |  | 1  | <u> </u>      |  |   |   |   |  |
| Library Search > 90%                  |   |   |  |  |  |               |  |   |   |   |  |

| Spectral Interpretation Match           |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| IR #                                    |  |  |  |  |  |  |
| Internal Polystyrene Present & Accepted |  |  |  |  |  |  |
| QC Present & Accepted                   |  |  |  |  |  |  |
| Blank/s                                 |  |  |  |  |  |  |
| Library Search                          |  |  |  |  |  |  |
| Spectral Interpretation Match           |  |  |  |  |  |  |
|   |  |  |  |  |  |  |
| D. Reporting                            |  |  |  |  |  |  |
| Control Card                            |  |  |  |  |  |  |
| Certificate of Analysis                 |  |  |  |  |  |  |
|   |  |  |  |  |  |  |

| dentification of Substance: |  |
|-----------------------------|--|
|                             |  |